

Polysubstance use among stimulant users: Course, complications, and the clinical picture

References

- Al-Tayyib, A., Koester, S., Langegger, S., & Raville, L. (2017). Heroin and methamphetamine injection: an emerging drug use pattern. *Substance Use & Misuse*, 52(8), 1051-1058.
- Barnett, N. P., Celio, M. A., Tidey, J. W., Murphy, J. G., Colby, S. M., & Swift, R. M. (2017). A preliminary randomized controlled trial of contingency management for alcohol use reduction using a transdermal alcohol sensor. *Addiction*, 112(6), 1025-1035.
- Bozarth, M. A., & Wise, R. A. (1985). Toxicity associated with long-term intravenous heroin and cocaine self-administration in the rat. *JAMA*, 254(1), 81-83.
- Bujarski, S., Roche, D. J., Lunny, K., Moallem, N. R., Courtney, K. E., Allen, V., ... & Ray, L. A. (2014). The relationship between methamphetamine and alcohol use in a community sample of methamphetamine users. *Drug and Alcohol Dependence*, 142, 127-132.
- Caprioli, D., Paolone, G., Celentano, M., Testa, A., Nencini, P., & Badiani, A. (2007). Environmental modulation of cocaine self-administration in the rat. *Psychopharmacology*, 192(3), 397-406.
- Caprioli, D., Celentano, M., Paolone, G., Lucantonio, F., Bari, A., Nencini, P., & Badiani, A. (2008). Opposite environmental regulation of heroin and amphetamine self-administration in the rat. *Psychopharmacology*, 198(3), 395-404.
- Caprioli, D., Celentano, M., Dubla, A., Lucantonio, F., Nencini, P., & Badiani, A. (2009). Ambience and drug choice: cocaine-and heroin-taking as a function of environmental context in humans and rats. *Biological Psychiatry*, 65(10), 893-899.
- Christian, D. R., Huber, A., Brecht, M. L., McCann, M. J., Marinelli-Casey, P., Lord, R. H., ... & Galloway, G. P. (2007). Methamphetamine users entering treatment: characteristics of the methamphetamine treatment project sample. *Substance Use & Misuse*, 42(14), 2207-2222.
- Daley, D. C., Baker, S., Donovan, D. M., Hodgkins, C. G., & Perl, H. (2011). A combined group and individual 12-step facilitative intervention targeting stimulant abuse in the NIDA Clinical Trials Network: STAGE-12. *Journal of Groups In Addiction & Recovery*, 6(3), 228-244.
- De Crescenzo, F., Ciabattini, M., D'Alò, G. L., De Giorgi, R., Del Giovane, C., Cassar, C., ... & Cipriani, A. (2018). Comparative efficacy and acceptability of psychosocial interventions for individuals with cocaine and amphetamine addiction: A systematic review and network meta-analysis. *PLoS Medicine*, 15(12).
- Dole, V. P., & Nyswander, M. (1965). A medical treatment for diacetylmorphine (heroin) addiction: a clinical trial with methadone hydrochloride. *JAMA*, 193(8), 646-650.
- Donovan, D. M., Daley, D. C., Brigham, G. S., Hodgkins, C. C., Perl, H. I., Garrett, S. B., ... & Kelly, T. M. (2013). Stimulant abuser groups to engage in 12-step: a multisite trial in the National Institute on Drug Abuse Clinical Trials Network. *Journal of Substance Abuse Treatment*, 44(1), 103-114.
- Ellis, M. S., Kasper, Z. A., & Cicero, T. J. (2018). Twin epidemics: the surging rise of methamphetamine use in chronic opioid users. *Drug and Alcohol Dependence*, 193, 14-20.
- Fugelstad, A., Stenbacka, M., Leifman, A., Nylander, M., & Thiblin, I. (2007). Methadone maintenance treatment: the balance between life-saving treatment and fatal poisonings. *Addiction*, 102(3), 406-412.

- Furr, C. D., Delva, J., & Anthony, J. C. (2000). The suspected association between methamphetamine ('ice') smoking and frequent episodes of alcohol intoxication: data from the 1993 National Household Survey on Drug Abuse. *Drug and Alcohol Dependence*, 59(1), 89-93.
- Halkitis, P. N., Shrem, M. T., & Martin, F. W. (2005). Sexual behavior patterns of methamphetamine-using gay and bisexual men. *Substance Use & Misuse*, 40(5), 703-719.
- Hartel, D. M., Schoenbaum, E. E., Selwyn, P. A., Kline, J., Davenny, K., Klein, R. S., & Friedland, G. H. (1995). Heroin use during methadone maintenance treatment: the importance of methadone dose and cocaine use. *American Journal of Public Health*, 85(1), 83-88.
- Hartzler, B., Jackson, T. R., Jones, B. E., Beadnell, B., & Calsyn, D. A. (2014). Disseminating contingency management: Impacts of staff training and implementation at an opiate treatment program. *Journal of Substance Abuse Treatment*, 46(4), 429-438.
- Korcha, R. A., Polcin, D. L., Evans, K., Bond, J. C., & Galloway, G. P. (2014). Intensive motivational interviewing for women with concurrent alcohol problems and methamphetamine dependence. *Journal of Substance Abuse Treatment*, 46(2), 113-119.
- Leri, F., Bruneau, J., & Stewart, J. (2003). Understanding polydrug use: review of heroin and cocaine co-use. *Addiction*, 98(1), 7-22.
- Leslie, E. M., Smirnov, A., Cherney, A., Wells, H., Legosz, M., Kemp, R., & Najman, J. M. (2017). Simultaneous use of alcohol with methamphetamine but not ecstasy linked with aggression among young adult stimulant users. *Addictive Behaviors*, 70, 27-34.
- Liu, Y., Williamson, V., Setlow, B., Cottler, L. B., & Knackstedt, L. A. (2018). The importance of considering polysubstance use: lessons from cocaine research. *Drug and Alcohol Dependence*, 192, 16-28.
- Macdonald, S., MacIntyre, P., Joordens, C., Stockwell, T., & Martin, G. (2015). Factors related to simultaneous cocaine and alcohol use for clients in treatment. *Journal of Alcohol and Drug Dependence*, 3(193), 2.
- Magill, M., & Ray, L. A. (2009). Cognitive-behavioral treatment with adult alcohol and illicit drug users: a meta-analysis of randomized controlled trials. *Journal of Studies on Alcohol and Drugs*, 70(4), 516-527.
- Mattick, R. P., Breen, C., Kimber, J., & Davoli, M. (2009). Methadone maintenance therapy versus no opioid replacement therapy for opioid dependence. *Cochrane Database Systematic Reviews*, 3(3).
- Mattson, M. E. (2014). Emergency department visits involving methamphetamine: 2007 to 2011. In *The CBHSQ Report*. Substance Abuse and Mental Health Services Administration (US).
- McDonell, M. G., Leickly, E., McPherson, S., Skalisky, J., Srebnik, D., Angelo, F., ... & Ries, R. K. (2017). A randomized controlled trial of ethyl glucuronide-based contingency management for outpatients with co-occurring alcohol use disorders and serious mental illness. *American Journal of Psychiatry*, 174(4), 370-377.
- McKetin, R., Chalmers, J., Sunderland, M., & Bright, D. A. (2014a). Recreational drug use and binge drinking: stimulant but not cannabis intoxication is associated with excessive alcohol consumption. *Drug and Alcohol Review*, 33(4), 436-445.
- McKetin, R., Lubman, D. I., Najman, J. M., Dawe, S., Butterworth, P., & Baker, A. L. (2014b). Does methamphetamine use increase violent behaviour? Evidence from a prospective longitudinal study. *Addiction*, 109(5), 798-806.
- Nutt, D. J., King, L. A., & Phillips, L. D. (2010). Drug harms in the UK: a multicriteria decision analysis. *The Lancet*, 376(9752), 1558-1565.

- Pierce, M., Bird, S. M., Hickman, M., Marsden, J., Dunn, G., Jones, A., & Millar, T. (2016). Impact of treatment for opioid dependence on fatal drug-related poisoning: a national cohort study in England. *Addiction*, 111(2), 298-308.
- Pennings, E. J., Leccese, A. P., & Wolff, F. A. D. (2002). Effects of concurrent use of alcohol and cocaine. *Addiction*, 97(7), 773-783.
- Rasch, R. F., Weisen, C. A., MacDonald, B., Wechsberg, W. M., Perritt, R., & Dennis, M. L. (2000). Patterns of HIV risk and alcohol use among African-American crack abusers. *Drug and Alcohol Dependence*, 58(3), 259-266.
- Rawson, R. A., Marinelli-Casey, P., Anglin, M. D., Dickow, A., Frazier, Y., Gallagher, C., ... & Obert, J. (2004). A multi-site comparison of psychosocial approaches for the treatment of methamphetamine dependence. *Addiction*, 99(6), 708-717.
- Roll, J. M., Petry, N. M., Stitzer, M. L., Brecht, M. L., Peirce, J. M., McCann, M. J., ... & Kellogg, S. (2006). Contingency management for the treatment of methamphetamine use disorders. *American Journal of Psychiatry*, 163(11), 1993-1999.
- Strickland, J. C., Havens, J. R., & Stoops, W. W. (2019). A nationally representative analysis of "twin epidemics": Rising rates of methamphetamine use among persons who use opioids. *Drug and Alcohol Dependence*, 204, 107592.
- Smedslund, G., Berg, R. C., Hammerstrøm, K. T., Steiro, A., Leiknes, K. A., Dahl, H. M., & Karlsen, K. (2011). Motivational interviewing for substance abuse. *Cochrane Database of Systematic Reviews*, (5).
- Sordo, L., Barrio, G., Bravo, M. J., Indave, B. I., Degenhardt, L., Wiessing, L., ... & Pastor-Barriuso, R. (2017). Mortality risk during and after opioid substitution treatment: systematic review and meta-analysis of cohort studies. *BMJ*, 357, j1550.
- Staiger, P. K., Richardson, B., Long, C. M., Carr, V., & Marlatt, G. A. (2013). Overlooked and underestimated? Problematic alcohol use in clients recovering from drug dependence. *Addiction*, 108(7), 1188-1193.
- Substance Abuse and Mental Health Services Administration. (2019). Key substance use and mental health indicators in the United States: Results from the 2018 National Survey on Drug Use and Health (HHS Publication No. PEP19-5068, NSDUH Series H-54). Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>
- Sullivan, L. E., Moore, B. A., O'Connor, P. G., Barry, D. T., Chawarski, M. C., Schottenfeld, R. S., & Fiellin, D. A. (2010). The association between cocaine use and treatment outcomes in patients receiving office-based buprenorphine/naloxone for the treatment of opioid dependence. *The American Journal on Addictions*, 19(1), 53-58.
- Timko, C., Han, X., Woodhead, E., Shelley, A., & Cucciare, M. A. (2018). Polysubstance use by stimulant users: health outcomes over three years. *Journal of Studies on Alcohol and Drugs*, 79(5), 799-807.
- Walley, A. Y., Xuan, Z., Hackman, H. H., Quinn, E., Doe-Simkins, M., Sorensen-Alawad, A., ... & Ozonoff, A. (2013). Opioid overdose rates and implementation of overdose education and nasal naloxone distribution in Massachusetts: interrupted time series analysis. *BMJ*, 346, f174.
- Wang, L., Min, J. E., Krebs, E., Evans, E., Huang, D., Liu, L., ... & Nosyk, B. (2017). Polydrug use and its association with drug treatment outcomes among primary heroin, methamphetamine, and cocaine users. *International Journal of Drug Policy*, 49, 32-40.