DSM-5 Substance Use Disorder Assessment				
	pattern of substance use leading to clinically significant	impairment or distress as	manifested by at least 2 of the following,	
0	ccurring within a 12-month period:			
Met	Symptom	Substance(s)	When Symptom Was Experienced	
	1) The substance is often taken in larger amounts or			
	over a longer period than was intended.			
	2) There is a persistent desire or unsuccessful efforts			
	to cut down or control the use of the substance.			
	3) A great deal of time is spent in activities necessary			
	to obtain the substance, use the substance, or			
	recover from its effects.			
	4) Craving, or a strong desire or urge to use the			
	substance.			
	5) Recurrent substance use resulting in a failure to			
	fulfill major role obligations at work, school, or			
	home.			
	6) Continued substance use despite having persistent			
	or recurrent social or interpersonal problems			
	caused or exacerbated by the effects of the			
	substance.			
	7) Important social, occupational, or recreational			
	activities are given up or reduced because of the			
	use of the substance.			
	8) Recurrent substance use in situations in which it is			
	physically hazardous.			
	9) The substance use is continued despite knowledge			
	of having a persistent or recurrent physical or			
	psychological problem that is likely to have been			
	caused or exacerbated by the use of the substance.			
	10) Tolerance, as defined by either of the following:			
	a) A need for markedly increased amounts of the			
	substance to achieve intoxication or desired effect;			
	and/or			
	b) A markedly diminished effect with continued use			
	of the same amount of the substance.			
	11) Withdrawal, as manifested by either of the			
	following: a) The characteristic withdrawal syndrome for the			
	substance; and/or			
	b) The substance is taken to relieve or avoid			
	withdrawal symptoms.	Substanco(s):		
	Mild Substance Use Disorder (2-3 Symptoms):	Substance(s):		
	Moderate Substance Use Disorder (4-5 Symptoms):	Substance(s):		
	Severe Substance Use Disorder (6 or More	Substance(s):		
	Symptoms):	Cubatan co (o)		
	In Early Remission (no symptoms, except for craving,	Substance(s):		
	for 3 to under 12 months)			
	In Sustained Remission (no symptoms, except for	Substance(s):		
_	craving, for more than 12 months)			
	In a Controlled Environment (if in an environment in which	ch access to substances is limited)		
	On Maintenance Therapy (if taking a prescribed agonist	Medication:		
	medication and none of the criteria have been met for			
	the agonist medication except symptoms 10 and 11)			

* Symptoms 10 and 11 are not applicable if the client is using sedative/hypnotic/anxiolytic, opioid, or stimulant medication as prescribed consistent with physician's orders (e.g. not combining with synergistic substances, not taking more frequently or in greater quantity than prescribed, not operating machinery, etc.)