









"THE CORRELATION BETWEEN AGE WITH DRUGS ABUSE IN INDONESIAN NATIONAL NARCOTICS BOARD DRUG REHABILITATION CENTER IN 2019"

Jihan Aji Purnama (Addiction Professional, Lido Rehabilitation Center, Indonesian National Narcotics Board, Bogor)

Phone: (+62)81290960020, E-mail: jihanajipurnama@gmail.com

1 Introduction

The research is motivated by the results of a preliminary study at the Indonesian National Narcotics Board Drug Rehabilitation Center, Bogor, Indonesia, which shows the existence of drug abuse across a wide range of age groups (12-60 years) and various types of drugs, namely methamphetamine, THC, MDMA, benzodiazepine, opiates, and other drugs.


2 Methods

This type of research is descriptive analytic with a quantitative approach, a retrospective design, and data analyzed using the Chi-Square test. The sampling technique used was total sampling of 290 respondents, and the data measuring instrument was a checklist sheet.

3 Objectives

The purpose of this study was to determine the correlation between age and drug abuse at the Rehabilitation Center of the National Narcotics Board in 2019.

4 Results



The majority of clients misused methamphetamine; as many as 233 respondents Aged 12–25 years were 146 respondents (50.3%) (80.3%) did so.

5 Discussion


The results of this study indicate that 121 respondents (51.9%) aged 26-45 abused methamphetamine.

The statistical test using the Chi-Square Test yielded a ρ value of 0.000. A ρ value < 0.05 indicates that H0 is rejected and Ha is accepted, indicating a significant relationship between age and drug abuse at the Lido National Narcotics Board Rehabilitation Center in 2019.

When a person's psychosocial developmental stages, particularly between the ages of 21 and 40 (intimacy versus isolation), are not progressing as they should, this isolation can be a factor in someone abusing drugs as a way to cope.

7 References

- 1. UNODC. 2015. World Drug Report. New York: United Nations Office on Drugs and Crime.
- 2. Adiyanti, Yuniarti. 2015. Memaknai Kondisi Residen Therapeutic Community. Yogyakarta: Universitas Gajah Mada.
- 3. Setiyawati, dkk. 2015. Buku Seri Bahaya Narkoba Jilid 2. Surakarta: Tirta Asih Jaya.
- 4. Pusat Penelitian Data dan Informasi BNN RI. 2017. Jurnal Data Puslitdatin BNN 2017. Jakarta: Badan Narkotika Nasional RI.
- 5. Sembiring, Farida. 2014. Faktor-faktor Penyalahgunaan Narkoba pada Remaja di Lingkungan XIV Kelurahan Glugur Kota Kecamatan Medan Barat. Medan: Universitas Sumatera Utara (Skripsi).



6 Conclusions

- 1. It is known that the results of the frequency distribution of age among clients at the Indonesian National Narcotics Board Drug Rehabilitation, Bogor, Indonesia, in 2019, aged 12-25 years, were 146 respondents (50.3%).
- 2. It is known that the results of the frequency distribution of drug abuse among clients at the Rehabilitation Center of the National Narcotics Board in 2019 showed that most clients abused methamphetamine, with 233 respondents (80.3%).
- 3. The results of the analysis, obtained from 290 respondents, showed that 130 respondents were aged 26-45 years, and as many as 121 respondents (51.9%) within that age range misused methamphetamine. Statistical test results using the Chi-Square Test obtained a ρ value of 0.000. A ρ value < 0.05 means that H0 is rejected and Ha is accepted, which shows that there is a significant relationship between age and drug abuse at the Indonesian National Narcotics Board Drug Rehabilitation Center in Bogor, Indonesia, in 2019.